



SAKURA

FOTON FILTERS SUB-CATALOGUE





Table of Contents

Engine Application

A

Technical Specification

B



Engine Application

A

Worldwide Engine Partner

Sakura Filter

ENGINE APPLICATION

MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO
FOTON		FOTON		FOTON	
1028 (TRUCKS) 2.2L , 2200 Oil Filter Full Flow.....	C-38010	AUMAN (TRUCKS) CUMMINS ISX12 , 2019 Fuel/Water Separator.....	SF-73020	Fuel Filter Secondary.....	FC-7903
1039 (TRUCKS) 3.8L , 3800 Fuel Filter.....	FC-38040	AUMAN (TRUCKS) 385 (BJ53 _) , 2005 Fuel/Water Separator.....	SFC-38090-10	Fuel/Water Separator.....	SFC-5706
4X2 (TRUCKS) WP10.270/ WP10.290 Fuel Filter.....	FC-71090	AUMAN (TRUCKS) CUMMINS ISM Air Filter Primary.....	A-38050	BJ1141 (TRUCKS) CUMMINS 6CTA8.3 , 2009-UP Coolant Filter.....	WC-5705
Oil Filter Full Flow.....	C-4905	Air Filter Secondary.....	A-38040	Fuel Filter Secondary.....	FC-7903
6X2 (TRUCKS) WP10.336/WP10.375 Fuel Filter.....	FC-71090	AUMAN (TRUCKS) CUMMINS ISF Air Filter Primary.....	A-38050	Fuel/Water Separator.....	SFC-5706
Oil Filter Full Flow.....	C-4905	Air Filter Secondary.....	A-38040	BJ1141 (TRUCKS) CUMMINS 6CT8.3 , 2009 Coolant Filter.....	WC-5705
6X4 (TRUCKS) WP10.336 Fuel Filter.....	FC-71090	AUMAN (TRUCKS) CUMMINS ISG Air Filter Primary.....	A-38050	Fuel Filter Secondary.....	FC-7903
Oil Filter Full Flow.....	C-4905	Air Filter Secondary.....	A-38040	Fuel/Water Separator.....	SFC-5706
8X4 (TRUCKS) WP10.336/WP10.375 Fuel Filter.....	FC-71090	AUMAN (TRUCKS) WEICHAI WP10 Air Filter Primary.....	A-38050	BJ1208 (TRUCKS) CUMMINS 6BTA5.9 , 2009-UP Fuel Filter Secondary.....	FC-7903
Oil Filter Full Flow.....	C-4905	Air Filter Secondary.....	A-38040	Fuel/Water Separator.....	SFC-5706
AUMAN D6114B Euro II (TRUCKS) 4C180 Fuel Filter.....	FC-55240	Fuel Filter.....	FC-71090	Oil Filter Full Flow.....	C-5704
AUMAN ETX (TRUCKS) 290W Air Filter Primary.....	A-38060	Oil Filter Full Flow.....	C-2508	Oil Filter Full Flow.....	C-5730
Air Filter Secondary.....	A-38070	Oil Filter Full Flow.....	C-6204	BJ1208 (TRUCKS) CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary.....	FC-7903
Air Filter Set.....	A-38080-S	AUMAN GTL (TRUCKS) Shanghai Diesel SC9DK Oil Filter Combination.....	C-5722	Fuel/Water Separator.....	SFC-5706
Fuel Filter.....	FC-45010	AUMAN GTL (TRUCKS) WEICHAI WP10 Fuel Filter.....	FC-71090	Oil Filter Full Flow.....	C-5704
Oil Filter Full Flow.....	C-4905	Oil Filter Full Flow.....	C-2508	Oil Filter Full Flow.....	C-5730
AUMAN ETX (TRUCKS) Shanghai Diesel SC9DK Oil Filter Combination.....	C-5722	Oil Filter Full Flow.....	C-6204	BJ1208 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705
AUMAN ETX (TRUCKS) WEICHAI WP10 Fuel Filter.....	FC-71090	AUMAN GTL (TRUCKS) WEICHAI WP12 Fuel Filter.....	FC-71090	Fuel Filter Secondary.....	FC-7903
Oil Filter Full Flow.....	C-2508	AUMAN VT (TRUCKS) WEICHAI WP10 Fuel Filter.....	FC-71090	Fuel/Water Separator.....	SFC-5706
Oil Filter Full Flow.....	C-6204	Oil Filter Full Flow.....	C-2508	Oil Filter Full Flow.....	C-5704
AUMAN ETX (TRUCKS) WEICHAI WP12 Fuel Filter.....	FC-71090	Oil Filter Full Flow.....	C-6204	Oil Filter Full Flow.....	C-5730
AUMAN ETX (TRUCKS) YUCHAI YC6A Oil Filter Full Flow.....	C-7105	AUMAN GTL (TRUCKS) WEICHAI WP12 Fuel Filter.....	FC-71090	BJ1049 (TRUCKS) CUMMINS ISF2.8 , 2800, 2008 Fuel/Water Separator.....	ES-57010
AUMAN ETX (TRUCKS) YUCHAI YC6J Oil Filter Full Flow.....	C-7105	AUMAN VT (TRUCKS) WEICHAI WP12 Fuel Filter.....	FC-71090	BJ3208 (TRUCKS) CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary.....	FC-7903
AUMAN 6 340 CL 10 (TRUCKS) Air Filter Set.....	A-49540-S	AUMAN VT (TRUCKS) WEICHAI WP12 Fuel Filter.....	FC-71090	Fuel/Water Separator.....	SFC-5706
AUMAN EST (TRUCKS) CUMMINS ISGE3 Oil Filter Full Flow.....	C-38180	AUMARK (TRUCKS) YUCHAI YC4E Oil Filter Full Flow.....	C-2508	Oil Filter Full Flow.....	C-5704
		BJ1141 (TRUCKS) CUMMINS 6CT8.3 , 2009-UP Coolant Filter.....	WC-5705	Oil Filter Full Flow.....	C-5730

Sakura Filter

ENGINE APPLICATION

MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO
FOTON		FOTON		FOTON	
BJ3228 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Fuel/Water Separator.....	SFC-5706	BJ4253SMFKB-S6 (TRUCKS) WP12.336N Fuel Filter.....	FC-71090	FT354 (TRUCKS) PERKINS 4 CYL , 2007 Fuel Filter.....	FC-5715
BJ3241 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705	Oil Filter Full Flow.....	C-4905	Oil Filter Full Flow.....	C-66071
Fuel Filter Secondary.....	FC-7903	BJ5141 (TRUCKS) CUMMINS 6CT8.3 , 2009 Coolant Filter.....	WC-5705	FT404 (TRUCKS) PERKINS 4 CYL , 2007 Fuel Filter.....	FC-5715
Fuel/Water Separator.....	SFC-5706	Fuel Filter Secondary.....	FC-7903	Oil Filter Full Flow.....	C-66071
BJ3268 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705	Fuel/Water Separator.....	SFC-5706	FT504 (TRUCKS) PERKINS 4 CYL , 2007 Fuel Filter.....	FC-5715
Fuel Filter Secondary.....	FC-7903	BJ5141 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705	Oil Filter Full Flow.....	C-66071
Fuel/Water Separator.....	SFC-5706	Fuel Filter Secondary.....	FC-7903	FT604 (TRUCKS) PERKINS 4 CYL , 2007 Fuel Filter.....	FC-5715
BJ4141 (TRUCKS) CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary.....	FC-7903	Fuel/Water Separator.....	SFC-5706	Oil Filter Full Flow.....	C-66071
Fuel/Water Separator.....	SFC-5706	BJ5188 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705	FT704 (TRUCKS) PERKINS 4 CYL , 2007 Fuel Filter.....	FC-5715
Oil Filter Full Flow.....	C-5704	Fuel Filter Secondary.....	FC-7903	Oil Filter Full Flow.....	C-66071
Oil Filter Full Flow.....	C-5730	Fuel/Water Separator.....	SFC-5706	FT824 (TRUCKS) PERKINS 4 CYL , 2007 Fuel Filter.....	FC-5715
BJ4141 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705	ETX (TRUCKS) ISDe185 30 Oil Filter Full Flow.....	C-5713	Oil Filter Full Flow.....	C-66071
Fuel Filter Secondary.....	FC-7903	ETX (TRUCKS) ISDe210 30 Oil Filter Full Flow.....	C-5713	Tunland (PICKUPS) CUMMINS ISF2.8 , 2800, 2012 Cabin Air Filter.....	CA-38100
Fuel/Water Separator.....	SFC-5706	ETX (TRUCKS) ISDe245 30 Oil Filter Full Flow.....	C-5713	Cabin Air Filter.....	CAC-38100
BJ4171 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705	ETX (TRUCKS) ISDe270 30 Oil Filter Full Flow.....	C-5713	Cabin Air Filter.....	CAV-38100
Fuel Filter Secondary.....	FC-7903	ETX (TRUCKS) ISLe290 30 Oil Filter Full Flow.....	C-5713	Fuel/Water Separator.....	ES-57010
Fuel/Water Separator.....	SFC-5706	FD812 (TRUCKS) CUMMINS B3.9C , 2007 Fuel Filter.....	FS-5701	View (VANS) 2.8L C2 , 2800 Air Filter.....	A-38570
BJ4208 (TRUCKS) CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary.....	FC-7903	FR618 (TRUCKS) CUMMINS 6CTA8.3 , 2007 Fuel Filter.....	FS-5701		
Fuel/Water Separator.....	SFC-5706	Fuel Filter Secondary.....	FC-7903		
Oil Filter Full Flow.....	C-5704	Fuel/Water Separator.....	SFC-5706		
Oil Filter Full Flow.....	C-5730	Fuel/Water Separator.....	SFC-5708		
BJ4208 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705	FS818D (TRUCKS) CUMMINS 6B5.9 , 2007 Fuel Filter Secondary.....	FC-7903		
Fuel Filter Secondary.....	FC-7903	Fuel/Water Separator.....	SFC-5706		
Fuel/Water Separator.....	SFC-5706	Fuel/Water Separator.....	SFC-5708		
BJ4241 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705	Oil Filter Full Flow.....	C-5704		
Fuel Filter Secondary.....	FC-7903	Oil Filter Full Flow.....	C-5730		
Fuel/Water Separator.....	SFC-5706	FT254 (TRUCKS) PERKINS 4 CYL , 2007 Fuel Filter.....	FC-5715		
BJ4251SLFJB-S (TRUCKS) WP10.300N Fuel Filter.....	FC-71090	Oil Filter Full Flow.....	C-66071		
Oil Filter Full Flow.....	C-4905				
BJ4253SMFKB-2 (TRUCKS) WP12.336 Oil Filter Full Flow.....	C-4905				
BJ4253SMFKB-S6 (TRUCKS) W P 12.375N Fuel Filter.....	FC-71090				
Oil Filter Full Flow.....	C-4905				



Technical Specification

B



Sakura Filter

Technical Specification

A-38040  YILIWANGDEFU 1109060-50A FAW 1109570-228 SINOTRUK WG9725190102 Primary Filter uses A-38050 Set Filter uses A-38050-S H 1 : 430 (mm) OD 1 : 185 (mm) OD 2 : 181 (mm) ID 1 : 124 (mm) CONT : 9 VOL : 0.160	A-38520  FOTON FH4119202023A0W0343 H 1 : 464 (mm) H 2 : 457 (mm) OD 1 : 303 (mm) OD 2 : 303 (mm) ID 1 : 168 (mm) CONT : 1 VOL : 0.052 Note : For Foton Auman EST / Engine cummins IS Ge3	C-2508  RENAULT 0 000 054 020 RENAULT 0 000 504 020 RENAULT 0 001 907 947 H 1 : 206 (mm) OD 1 : 93 (mm) Thread Size : 1-12 UNF-2B BPV (kg/cm2) : 2.0 - 2.5 ADBV : YES Gasket Type : Square CONT : 12 VOL : 0.037 Note : With Hat
A-38050  YILIWANGDEFU 1109070-50A FAW 11095550-228 SINOTRUK WG9725190103 Secondary Filter uses A-38040 Set Filter uses A-38050-S H 1 : 435.5 (mm) H 2 : 413 (mm) OD 1 : 280 (mm) OD 2 : 280 (mm) ID 1 : 188 (mm) CONT : 1 VOL : 0.041	A-38520-S  FOTON FH4119202023A0W0343+FH4119202024A0W0343 Primary Filter uses A-38520 Secondary Filter uses A-38530 H 1 : 464 (mm) H 2 : 457 (mm) OD 1 : 303 (mm) OD 2 : 303 (mm) ID 1 : 168 (mm) CONT : 1 VOL : 0.052 Note : For Foton Auman EST / Engine cummins IS Ge3	C-38010  BENGBU JX0810D2 H 1 : 135 (mm) OD 1 : 93 (mm) Thread Size : 3/4-16 UNF-2B BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Square CONT : 16 VOL : 0.033 Note : Truck Foton 2200cc, model 1028
A-38060  FOTON 133211987002P Secondary Filter uses A-38070 Set Filter uses A-38080-S H 1 : 508 (mm) H 2 : 499 (mm) OD 1 : 276 (mm) OD 2 : 276 (mm) ID 1 : 165 (mm) ID 2 : 23 (mm) CONT : 1 VOL : 0.045	A-38530  FOTON FH4119202024A0W0343 Primary Filter uses A-38520 Set Filter uses A-38520-S H 1 : 449 (mm) H 2 : 444 (mm) OD 1 : 171 (mm) OD 2 : 163 (mm) ID 1 : 150 (mm) CONT : 9 VOL : 0.152 Note : For Foton Auman EST / Engine cummins IS Ge3	C-38180  CUMMINS 3694654 FOTON 3694654 H 1 : 246.5 (mm) Not Available : 118 (mm) Thread Size : 1 1/2-12 UNF-2B CONT : 6 VOL : 0.029 Note : For Foton Auman EST / Engine cummins IS Ge3
A-38070  FOTON 133211987002S Primary Filter uses A-38060 Set Filter uses A-38080-S H 1 : 484 (mm) H 2 : 475 (mm) OD 1 : 162.5 (mm) OD 2 : 162.5 (mm) ID 1 : 134 (mm) ID 2 : 23 (mm) CONT : 9 VOL : 0.146 Note :	A-38570  FOTON K1119019001A0 H 1 : 275 (mm) H 2 : 258 (mm) OD 1 : 172.5 (mm) OD 2 : 173 (mm) ID 1 : 109 (mm) ID 2 : 58 (mm) CONT : 9 VOL : 0.099 Note : For Foton Series K1	C-4905  DONGFENG 1012010AD1 H 1 : 203 (mm) OD 1 : 93 (mm) Thread Size : 1-12 UNF-2B BPV (kg/cm2) : 1.4 - 1.6 ADBV : YES Gasket Type : Square CONT : 12 VOL : 0.028 Note : WD615 series Diesel Engine for Weichai, FAW FD336
A-38080-S  FOTON 133211987002 Primary Filter uses A-38060 Secondary Filter uses A-38070 H 1 : 508 (mm) H 2 : 499 (mm) OD 1 : 276 (mm) OD 2 : 276 (mm) ID 1 : 134 (mm) ID 2 : 23 (mm) CONT : 1 VOL : 0.049	A-49540-S  FOTON 1325311982187+1325311982186 Primary Filter uses A-49380 Secondary Filter uses A-49530 H 1 : 513.25 (mm) H 2 : 503.5 (mm) OD 1 : 324 (mm) OD 2 : 324 (mm) ID 1 : 180.5 (mm) ID 2 : 23 (mm) CONT : 1 VOL : 0.063 Note : Foton Auman 6 340 CL 10-wheel truck with 340 PS	C-5704  J.C.BAMFORD 02/910140 J.C.BAMFORD 02/910140A CUMMINS 3903264 H 1 : 172 (mm) OD 1 : 93 (mm) Thread Size : 1-16 UNF-2B Gasket Type : Square CONT : 12 VOL : 0.023 Note : High Performance Grade Uses C-5730

Sakura Filter

Technical Specification

C-5707 Oil Filter Combination Spin-On Seamless J.C.BAMFORD 02/910965 CUMMINS 3401544 KOMATSU 6742-01-4540 H 1 : 294 (mm) OD 1 : 118 (mm) Thread Size : 2 1/4-12 UNF-2B CONT : 6 VOL : 0.029 Note : Multilayer	C-6204 Oil Filter Full Flow Spin-On MERCEDES-BENZ 001 184 96 01 DEUTZ 1173430 CATERPILLAR 5W-6017 ALLIS CHALMERS 61671600 EVOBUS 7.119.226.04  H 1 : 206 (mm) OD 1 : 93 (mm) Thread Size : 1-12 UNF-2B BPV (kg/cm2) : 2.0 - 2.5 ADBV : YES Gasket Type : Square CONT : 25 VOL : 0.057 Note : With Grip	CAV-38100 Cabin Air Filter Paper framed Element Anti Virus, Anti Bacterial FOTON P1811010094A0  H 1 : 20 (mm) Length 1 : 225 (mm) Width 1 : 189.5 (mm) CONT : 20 VOL : 0.039 Note : For Standard or Carbon type please check CA or CAC number.
C-5710 Oil Filter Combination Spin-On Seamless HYUNDAI 11NB-70110 CUMMINS 2882674 CUMMINS 3101869 LIUGONG 40C0434 KOMATSU 600-211-1340 H 1 : 299 (mm) OD 1 : 118 (mm) Thread Size : M95X2.5-7H CONT : 6 VOL : 0.033 Note : Performance Grade Uses C-5724,C-57430	C-66071 Oil Filter Full Flow Spin-On PERKINS 2654403 CATERPILLAR 7W-2327  H 1 : 129 (mm) OD 1 : 93 (mm) Thread Size : 3/4-16 UNF-2B BPV (kg/cm2) : 1.0 ADBV : YES Gasket Type : Square CONT : 25 VOL : 0.041	ES-57010 Fuel/Water Separator Eco Element CUMMINS 5264870  H 1 : 128 (mm) H 2 : 105 (mm) OD 1 : 81.5 (mm) OD 2 : 81.5 (mm) ID 1 : 27 (mm) ID 2 : 21 (mm) CONT : 50 VOL : 0.053 Note : FOTON TUNLAND CUM ISF 2.8L 2012-ON
C-5713 Oil Filter Full Flow Spin-On Synthetic Media CUMMINS 4897898 CASE 87803261 FOTON C4897898A0571A  H 1 : 172 (mm) OD 1 : 93.5 (mm) Thread Size : M27X2-6H Gasket Type : Square CONT : 12 VOL : 0.026 Note : C-5734(Economical type of C-5713)	C-7105 Oil Filter Full Flow Spin-On VOLVO 478736 VOLVO 478736-2 RENAULT 5 001 846 642  H 1 : 259 (mm) OD 1 : 108 (mm) Thread Size : 1 1/8-16 UNF-2B Gasket Type : Square CONT : 6 VOL : 0.026	FC-38040 Fuel Filter Spin-On BENGBU CX0710B3  H 1 : 148 (mm) H 2 : 134 (mm) OD 1 : 81.5 (mm) Thread Size : M16X1.5-6H Thread Nut Size : M10X1.5 Gasket Type : Square CONT : 25 VOL : 0.052 Note : Truck foton 3800cc, model 1039
C-5722 Oil Filter Combination Spin-On Seamless CUMMINS 3318853 NEW HOLLAND (CNH) 9703112  H 1 : 294 (mm) OD 1 : 118 (mm) Thread Size : 2 1/4-12 UNF-2B CONT : 6 VOL : 0.029 Note : C-5706 Non Multilayer type, C-5721 Multilayer type, C-5722 Multilayer & Seamless type	CA-38100 Cabin Air Filter Paper framed Element FOTON P1811010094A0  H 1 : 20 (mm) Length 1 : 225 (mm) Width 1 : 190 (mm) CONT : 20 VOL : 0.039 Note : For Carbon or Anti Virus type please check CAC or CAV number.	FC-45010 Fuel Filter Spin-On NEW HOLLAND (CNH) 87803197 CASE 87803200  H 1 : 172 (mm) OD 1 : 93 (mm) Thread Size : M20X1.5-6H Gasket Type : Square CONT : 12 VOL : 0.025
C-5730 Oil Filter Full Flow Spin-On Synthetic Media CUMMINS 3903264 VOLVO 9912-90710  H 1 : 174 (mm) OD 1 : 93 (mm) Thread Size : 1-16 UNF-2B Gasket Type : Square CONT : 12 VOL : 0.030	CAC-38100 Cabin Air Filter Element with activated charcoal FOTON P1811010094A0  H 1 : 20 (mm) Length 1 : 225 (mm) Width 1 : 189.5 (mm) CONT : 20 VOL : 0.047 Note : For Standard or Anti Virus type please check CA or CAV number.	FC-55240 Fuel Filter Spin-On High Efficiency DONGFENG D638-002-802A SDE ENGINE D638-002-802A YUCHAI G5800-1105140 WEICHAI VG1540080110  H 1 : 210 (mm) OD 1 : 108 (mm) Thread Size : 1-14 UNS-2B CONT : 12 VOL : 0.042

FC-5715

Fuel Filter Spin-On With Drain Plug

KHD(KLOCKNER-HUMBOLT-DEUTZ)
1174482
J.C.BAMFORD 32/912001H 1 : 163 (mm)
OD 1 : 81.5 (mm)
Thread Size : M16X1.5-6H
Thread Nut Size : M8X1.25
Gasket Type : SquareCONT : 25
VOL : 0.037

31

FC-71090

Fuel Filter Spin-On High Efficiency

FAW DE 1117050A81DM
FAW CN 1117050A81DM
FAW CN 2S1117010-81DM
WEICHAI 612630080087H 1 : 262 (mm)
OD 1 : 108 (mm)
Thread Size : M32X1.5-6H
Gasket Type : SquareCONT : 12
VOL : 0.048

Note : media 2 micron

32

FC-7903

Fuel Filter Secondary Spin-On High Efficiency

J.C.BAMFORD 02/910155
CUMMINS 3903640
CUMMINS 3931063H 1 : 115 (mm)
OD 1 : 76 (mm)
Thread Size : M16X1.5-6H
Gasket Type : SquareCONT : 25
VOL : 0.023

33

FS-5701

Fuel Filter Metal body In-Line

CUMMINS 3826094
NEW HOLLAND (CNH) 86597473H 1 : 96 (mm)
OD 1 : 44.5 (mm)
Inlet : 10 (mm)
Outlet : 10 (mm)CONT : 12
VOL : 0.005

34

SF-73020

Fuel/Water Separator Metal End Cap Element

DETROIT DIESEL A0000905051

H 1 : 229.5 (mm)
H 2 : 190 (mm)
OD 1 : 153.5 (mm)
OD 2 : 148 (mm)
ID 1 : 26 (mm)CONT : 6
VOL : 0.057

35

SFC-38090-10

Fuel/Water Separator Spin-On 10 Micron

FOTON H4110210901A0

H 1 : 229.5 (mm)
OD 1 : 108 (mm)
Thread Size : 1"-14 UNS-2B
Gasket Type : SquareCONT : 12
VOL : 0.000

Note : For Foton Auman est

36

SFC-5706

Fuel/Water Separator Spin-On

J.C.BAMFORD 02/910150
J.C.BAMFORD 02/910150A
HYUNDAI 11E1-70210
CUMMINS 3935274
LIUGONG 53C0051H 1 : 163.7 (mm)
H 2 : 134 (mm)
OD 1 : 93 (mm)
OD 2 : 92.7 (mm)
Thread Size : 13/16-18 UNF-2B
Thread Nut Size : M14X2
Gasket Type : SquareCONT : 12
VOL : 0.021

37

SFC-5708

Fuel/Water Separator Spin-On

CUMMINS 3286503
CUMMINS 3843760
CUMMINS 3903202H 1 : 140 (mm)
OD 1 : 76 (mm)
Thread Size : M16X1.5-6HCONT : 25
VOL : 0.033

Note : with drain plug

38

WC-5705

Coolant Filter Spin-On

CUMMINS 299080
CUMMINS 3100304
CUMMINS 3305367H 1 : 100 (mm)
OD 1 : 93 (mm)
Thread Size : 11/16-16 UNF-2B
Gasket Type : SquareCONT : 12
VOL : 0.018

Note : Coolants = 4 units

39